

---

# TECHNICAL DATA **WHEELS & ACCESSORIES**

FORGED LIGHT ALLOY WHEELS FOR COMMERCIAL VEHICLES AND BUSES



*LIGHT WHEELS* **FOR HEAVY WEIGHTS.**

[speedline-truck.com](http://speedline-truck.com)

**RONAL**GROUP



**YOUR SPEEDLINE TRUCK DEALER**

**SPEEDLINE TRUCK S.r.l.**

Viale 1° Maggio 30  
24030 Presezzo, Italy

T: +39 035 4158211

F: +39 035 463629

E: [sales.truck@ronalgroup.com](mailto:sales.truck@ronalgroup.com)

[speedline-truck.com](http://speedline-truck.com)

All information is subject to change. SPEEDLINE TRUCK reserves the right to make changes in design and technical characteristics.  
The wheel designs and the content of this product information are protected by copyright. Version 7.0, April 2022

**RONAL**GROUP

# WHEELS FOR THE HIGHEST DEMANDS **HARD-WEARING AND LONG-LASTING**

## Wheel surface finishes with high shine

A good looking vehicle is every driver's calling card, and visually appealing wheels inevitably contribute to any vehicle's overall appearance.

### Mirror surface finish

Polished to a mirror finish. The wheel surface is polished to an extremely smooth finish, offering the greatest possible degree of reflection.

### Diamond surface finish

A special high-gloss polish gives the wheel a smooth surface, resulting in a high-degree gloss.

## Unique design wheels

The unique shapes of the wheel ventilation holes give the vehicle an individual, head-turning touch. And it's not only the appearance that benefits from the larger ventilation holes, but the service life of the wheel components as well. SPEEDLINE TRUCK is the only wheel manufacturer to offer uniquely shaped ventilation holes.

## Wheel care that pays off

In order to maintain the high quality and visual properties of the surface in the long term, we recommend cleaning SPEEDLINE TRUCK light alloy forged wheels regularly.

We have developed a cleaning detergent that is especially tailored to our wheels to ensure easy maintenance, as well as a polish for the perfect shine.



## Exclusive valves

An original SPEEDLINE TRUCK valve is the best solution for preventing galvanic corrosion and air leaks. Thanks to the perfect fit of the valve on the wheel and the reduced tightening torque, you minimize the stress on the valve hole.

All our wheels are equipped with original SPEEDLINE TRUCK valves.



## Making the switch from steel to forged alloy wheels

The SPEEDLINE TRUCK sleeve nuts make the switch a breeze, and it is not necessary to change from short to longer studs for both single and twin wheels.

The sleeve on the nut prolong into the bolt holes of the aluminum wheel, ensuring sufficient thread engagement on the original vehicle studs.



## FORGED LIGHT ALLOY WHEELS

| Wheel size | Picture | Part no. | Surface finish | Bolt hole Ø<br>(mm) | ET<br>(mm) | N° ABE<br>(Germany) | Max.<br>payload<br>(kg) | Average<br>weight<br>(kg) | Centre<br>bore Ø<br>(mm) | Mounting<br>hole PCD Ø<br>(mm) | Number<br>mounting<br>holes | Disk<br>thickness<br>(mm) | Half dual<br>space<br>(mm) | Twin<br>fitment | Valve code |
|------------|---------|----------|----------------|---------------------|------------|---------------------|-------------------------|---------------------------|--------------------------|--------------------------------|-----------------------------|---------------------------|----------------------------|-----------------|------------|
|------------|---------|----------|----------------|---------------------|------------|---------------------|-------------------------|---------------------------|--------------------------|--------------------------------|-----------------------------|---------------------------|----------------------------|-----------------|------------|

**17,5"**

|                          |                                                                                                    |          |         |    |     |           |       |      |     |     |    |      |     |     |         |
|--------------------------|----------------------------------------------------------------------------------------------------|----------|---------|----|-----|-----------|-------|------|-----|-----|----|------|-----|-----|---------|
| 17,5 x 6,75"<br>6 holes  | <br><i>Design</i> | 2901 AM  | Diamond | 26 | 125 | KBA 49488 | 2 500 | 14,7 | 202 | 245 | 6  | 21,0 | 146 | Yes | SLT 003 |
|                          |                                                                                                    | 2901 APH | Mirror  | 26 |     |           |       |      |     |     |    |      |     |     |         |
| 17,5 x 6,75"<br>8 holes  | <br><i>Design</i> | 2911 AM  | Diamond | 24 | 125 | KBA 49855 | 2 500 | 14,3 | 221 | 275 | 8  | 21,0 | 146 | Yes | SLT 003 |
|                          |                                                                                                    | 2911 APH | Mirror  | 24 |     |           |       |      |     |     |    |      |     |     |         |
|                          |                                                                                                    | 2911 BM  | Diamond | 30 |     |           |       |      |     |     |    |      |     |     |         |
|                          |                                                                                                    | 2911 BPH | Mirror  | 30 |     |           |       |      |     |     |    |      |     |     |         |
| 17,5 x 6,75"<br>10 holes |                   | 3086 AM  | Diamond | 26 | 117 | KBA 48650 | 3 000 | 14,6 | 176 | 225 | 10 | 22,0 | 139 | Yes | SLT 004 |

**19,5"**

|                        |                                                                                   |         |         |    |     |           |       |      |     |     |    |      |     |     |         |
|------------------------|-----------------------------------------------------------------------------------|---------|---------|----|-----|-----------|-------|------|-----|-----|----|------|-----|-----|---------|
| 19,5 x 7,50"           |  | 3097 AM | Diamond | 26 | 134 | KBA 52593 | 3 150 | 17,6 | 221 | 275 | 8  | 21,0 | 155 | Yes | SLT 003 |
|                        |                                                                                   | 3097 BM | Diamond | 30 |     |           |       |      |     |     |    |      |     |     |         |
|                        |                                                                                   | 3097 CM | Diamond | 32 |     |           |       |      |     |     |    |      |     |     |         |
| 19,5 x 8,25"           |  | 4015 CM | Diamond | 26 | 146 | KBA 51417 | 3 150 | 18,6 | 221 | 275 | 8  | 21,0 | 167 | Yes | SLT 003 |
|                        |                                                                                   | 4015 AM | Diamond | 30 |     |           |       |      |     |     |    |      |     |     |         |
|                        |                                                                                   | 4015 BM | Diamond | 32 |     |           |       |      |     |     |    |      |     |     |         |
| 19,5 x 14,00"<br>ET120 |  | 3598 AM | Diamond | 26 | 120 | KBA 50357 | 4 500 | 22,8 | 281 | 335 | 10 | 28,0 | ~   | No  | SLT 021 |
|                        |                                                                                   | 3598 BM | Diamond | 32 |     |           |       |      |     |     |    |      |     |     |         |

**22,5"**

|              |                                                                                                      |          |         |    |     |           |       |      |     |     |    |      |       |     |         |
|--------------|------------------------------------------------------------------------------------------------------|----------|---------|----|-----|-----------|-------|------|-----|-----|----|------|-------|-----|---------|
| 22,5 x 7,50" |                   | 3211 AM  | Diamond | 26 | 138 | KBA 49688 | 3 750 | 24,1 | 281 | 335 | 10 | 23,5 | 161,5 | Yes | SLT 022 |
|              |                                                                                                      | 3211 BM  | Diamond | 32 |     |           |       |      |     |     |    |      |       |     |         |
| 22,5 x 8,25" | <br><i>Design</i> | 2900 AM  | Diamond | 26 | 146 | KBA 48829 | 3 750 | 23,2 | 281 | 335 | 10 | 20,5 | 166,5 | Yes | SLT 003 |
|              |                                                                                                      | 2900 APH | Mirror  | 26 |     |           |       |      |     |     |    |      |       |     |         |
|              |                                                                                                      | 2900 BM  | Diamond | 32 |     |           |       |      |     |     |    |      |       |     |         |
|              |                                                                                                      | 2900 BPH | Mirror  | 32 |     |           |       |      |     |     |    |      |       |     |         |

|                        |                                                                                                      |          |         |    |     |           |       |      |     |     |    |      |       |     |                                                                 |
|------------------------|------------------------------------------------------------------------------------------------------|----------|---------|----|-----|-----------|-------|------|-----|-----|----|------|-------|-----|-----------------------------------------------------------------|
| 22,5 x 9,00"           |                      | 2917 AM  | Diamond | 26 | 153 | KBA 52409 | 4 250 | 24,3 | 281 | 335 | 10 | 22,5 | 175,5 | Yes | SLT 022                                                         |
|                        |                                                                                                      | 2917 APH | Mirror  | 26 |     |           |       |      |     |     |    |      |       |     |                                                                 |
|                        |                                                                                                      | 2917 BM  | Diamond | 32 |     |           |       |      |     |     |    |      |       |     |                                                                 |
|                        |                                                                                                      | 2917 BPH | Mirror  | 32 |     |           |       |      |     |     |    |      |       |     |                                                                 |
| 22,5 x 9,00"           | <br><i>Design</i>   | 2907 AM  | Diamond | 26 | 153 | KBA 49856 | 4 250 | 23,7 | 281 | 335 | 10 | 22,0 | 175   | Yes | SLT 003                                                         |
|                        |                                                                                                      | 2907 APH | Mirror  | 26 |     |           |       |      |     |     |    |      |       |     |                                                                 |
|                        |                                                                                                      | 2907 BM  | Diamond | 32 |     |           |       |      |     |     |    |      |       |     |                                                                 |
|                        |                                                                                                      | 2907 BPH | Mirror  | 32 |     |           |       |      |     |     |    |      |       |     |                                                                 |
| 22,5 x 9,75"           |                     | 3698 BM  | Diamond | 32 | 153 | KBA 53237 | 3 550 | 25,9 | 281 | 335 | 10 | 22,0 | 175   | Yes | SLT 022                                                         |
| 22,5 x 11,75"<br>ET0   |                     | 2899 AM  | Diamond | 26 | 0   | KBA 49689 | 4 500 | 21,7 | 281 | 335 | 10 | 22,5 | ~     | No  | SLT 021                                                         |
|                        |                                                                                                      | 2899 APT | Mirror  | 26 |     |           |       |      |     |     |    |      |       |     |                                                                 |
|                        |                                                                                                      | 3099 AM  | Diamond | 26 | 0   | KBA 49335 | 5 000 | 22,2 | 281 | 335 | 10 | 24,0 | ~     | No  | SLT 021<br>(SLT 020 for<br>production<br>until January<br>2019) |
|                        |                                                                                                      | 3099 APT | Mirror  | 26 |     |           |       |      |     |     |    |      |       |     |                                                                 |
|                        |                                                                                                      | 3099 BM  | Diamond | 32 |     |           |       |      |     |     |    |      |       |     |                                                                 |
|                        |                                                                                                      | 3099 BPT | Mirror  | 32 |     |           |       |      |     |     |    |      |       |     |                                                                 |
| 22,5 x 11,75"<br>ET45  |                     | 3774 AM  | Diamond | 26 | 45  | KBA 50353 | 5 000 | 23,9 | 281 | 335 | 10 | 24,0 | ~     | No  | SLT 021                                                         |
|                        |                                                                                                      | 3774 BM  | Diamond | 32 |     |           |       |      |     |     |    |      |       |     |                                                                 |
| 22,5 x 11,75"<br>ET120 |                     | 3018 AM  | Diamond | 26 | 120 | KBA 51090 | 5 000 | 25,2 | 281 | 335 | 10 | 26,0 | ~     | No  | SLT 021                                                         |
|                        |                                                                                                      | 3018 APT | Mirror  | 26 |     |           |       |      |     |     |    |      |       |     |                                                                 |
|                        |                                                                                                      | 3018 BM  | Diamond | 32 |     |           |       |      |     |     |    |      |       |     |                                                                 |
|                        |                                                                                                      | 3018 BPT | Mirror  | 32 |     |           |       |      |     |     |    |      |       |     |                                                                 |
| 22,5 x 11,75"<br>ET120 | <br><i>Design</i>  | 2898 AM  | Diamond | 26 | 120 | KBA 48898 | 5 000 | 24,3 | 281 | 335 | 10 | 25,0 | ~     | No  | SLT 021                                                         |
|                        |                                                                                                      | 2898 APT | Mirror  | 26 |     |           |       |      |     |     |    |      |       |     |                                                                 |
|                        |                                                                                                      | 2898 BM  | Diamond | 32 |     |           |       |      |     |     |    |      |       |     |                                                                 |
|                        |                                                                                                      | 2898 BPT | Mirror  | 32 |     |           |       |      |     |     |    |      |       |     |                                                                 |
| 22,5 x 11,75"<br>ET135 | <br><i>Design</i> | 3063 AM  | Diamond | 26 | 135 | KBA 48899 | 5 000 | 25,9 | 281 | 335 | 10 | 25,0 | ~     | No  | SLT 021                                                         |
|                        |                                                                                                      | 3063 APT | Mirror  | 26 |     |           |       |      |     |     |    |      |       |     |                                                                 |
|                        |                                                                                                      | 3063 BM  | Diamond | 32 |     |           |       |      |     |     |    |      |       |     |                                                                 |
|                        |                                                                                                      | 3063 BPT | Mirror  | 32 |     |           |       |      |     |     |    |      |       |     |                                                                 |
| 22,5 x 13,00"          |                   | 3187 AM  | Diamond | 26 | -14 | KBA 49687 | 5 800 | 27,9 | 281 | 335 | 10 | 28,0 | ~     | No  | SLT 020                                                         |
|                        |                                                                                                      | 3187 BM  | Diamond | 32 |     |           |       |      |     |     |    |      |       |     |                                                                 |

# ACCESSORIES

| Type | Picture | Part no. | Fitting wheel codes | Technical details | Remarks |
|------|---------|----------|---------------------|-------------------|---------|
|------|---------|----------|---------------------|-------------------|---------|

## Valves

|                    |                                                                                   |         |                                                                                               |                      |                    |
|--------------------|-----------------------------------------------------------------------------------|---------|-----------------------------------------------------------------------------------------------|----------------------|--------------------|
| L: 55,5 mm<br>∠0°  |  | SLT 003 | SLT 2900   SLT 2901<br>SLT 2907   SLT 2911<br>SLT 3097                                        | ETRTO type: V3.22.10 | Valve torque: 5 Nm |
| L: 57,5 mm<br>∠45° |  | SLT 004 | SLT 3086                                                                                      | ETRTO type: V3.22.13 |                    |
| L: 51,5 mm<br>∠45° |  | SLT 020 | SLT 3099 (until Jan 2019)<br>SLT 3187                                                         | ETRTO type: V3.22.12 |                    |
| L: 36 mm<br>∠0°    |  | SLT 021 | SLT 2898   SLT 2899<br>SLT 3018   SLT 3063<br>SLT 3099 (from Feb 2019)<br>SLT 3598   SLT 3774 | ETRTO type: V3.22.9  |                    |
| L: 55,5 mm<br>∠6°  |  | SLT 022 | SLT 2917<br>SLT 3211<br>SLT 3698                                                              | ETRTO type: V3.22.11 |                    |

## Valve extensions

|                  |                                                                                    |         |                                    |                                       |                        |
|------------------|------------------------------------------------------------------------------------|---------|------------------------------------|---------------------------------------|------------------------|
| Extensions base  |   | SLT 007 | All SLT wheels from 17,5" to 22,5" | 45° for twin fitment (external wheel) | Material: Brass        |
| Valve extensions |  | SLT 008 | 17,5" and 19,5" SLT wheels         | 115 mm length                         | Material: Tecnopolymer |
|                  |                                                                                    | SLT 009 | 22,5" SLT wheels                   | 150 mm length                         |                        |

## Cleaning

|                    |                                                                                     |           |                                                                                           |                                                                                                                                |                      |
|--------------------|-------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|----------------------|
| Wheel cleaner      |  | SLT 110-1 | Only for use on SPEEDLINE TRUCK forged light alloy wheels with Diamond or Mirror finishes | Detergent: 1000 ml                                                                                                             | For professional use |
|                    |                                                                                     | SLT 110-5 |                                                                                           | Detergent: 5000 ml                                                                                                             |                      |
| Wheel polish       |  | SLT 120   |                                                                                           | Polish: 500 ml                                                                                                                 |                      |
| Wheel cleaning kit |  | SLT 130   |                                                                                           | 1 Wheel cleaner SLT 110 (1000 ml)<br>1 Wheel polish SLT 120 (500 ml)<br>1 Brush SLT 002<br>Cotton cloths and protective gloves |                      |
| Brush              |  | SLT 002   |                                                                                           | Special cleaning brush for truck wheels                                                                                        |                      |

| Type | Picture | Part no. | Fitment | Bolt hole ø | Fitting wheel codes | Remarks |
|------|---------|----------|---------|-------------|---------------------|---------|
|------|---------|----------|---------|-------------|---------------------|---------|

## Sleeve nuts

|            |                                                                                     |         |        |                                        |                                                                                                                                                                                           |                                                            |
|------------|-------------------------------------------------------------------------------------|---------|--------|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|
| M18x1,5    |  | SLT 987 | Single | 26 mm                                  | SLT 2901 A                                                                                                                                                                                | Torque: according to vehicle producer (if missing: 400 Nm) |
|            |  | SLT 988 | Twin   |                                        |                                                                                                                                                                                           |                                                            |
| M20x1,5    |  | SLT 989 | Single | 30 mm                                  | SLT 2911 B<br>SLT 3097 B<br>SLT 4015 A                                                                                                                                                    | Torque: according to vehicle producer (if missing: 500 Nm) |
|            |  | SLT 990 | Twin   |                                        |                                                                                                                                                                                           |                                                            |
| M22x1,5    |  | SLT 979 | Single | 32 mm                                  | SLT 2917 B   SLT 2898 B<br>SLT 2900 B   SLT 2907 B<br>SLT 3018 B   SLT 3063 B<br>SLT 3097 C   SLT 3099 B<br>SLT 3187 B   SLT 3211 B<br>SLT 3598 B   SLT 3698 B<br>SLT 3774 B   SLT 4015 B | Torque: according to vehicle producer (if missing: 650 Nm) |
|            |  | SLT 981 | Twin   |                                        |                                                                                                                                                                                           |                                                            |
| 7/8"11 BSF |  | SLT 983 | Single | 32 mm<br>Only for use on Scania trucks | SLT 2917 B   SLT 2900 B<br>SLT 2907 B   SLT 3063 B<br>SLT 3211 B   SLT 3698 B                                                                                                             | Torque: according to vehicle producer (if missing: 650 Nm) |
|            |  | SLT 984 | Twin   |                                        |                                                                                                                                                                                           |                                                            |

## Nut covers

|                         |                                                                                       |         |                          |             |                               |                       |
|-------------------------|---------------------------------------------------------------------------------------|---------|--------------------------|-------------|-------------------------------|-----------------------|
| <b>Plastic, chromed</b> |    | SLT 991 | Sleeve nuts              | 32 mm       | SLT wheels<br>19,5" and 22,5" | <b>Wrench size 32</b> |
| <b>Stainless steel</b>  |  | SLT 992 | Standard and sleeve nuts | 26 or 32 mm |                               | <b>Wrench size 32</b> |
|                         |                                                                                       | SLT 993 |                          |             |                               | <b>Wrench size 33</b> |

## Other tooling

|                                     |                                                                                       |         |                                    |                                           |                 |
|-------------------------------------|---------------------------------------------------------------------------------------|---------|------------------------------------|-------------------------------------------|-----------------|
| Measurement gauge for rim horn wear |  | SLT 001 | All SLT wheels from 17,5" to 22,5" | Applicable only on SPEEDLINE TRUCK wheels | Material: Steel |
|-------------------------------------|---------------------------------------------------------------------------------------|---------|------------------------------------|-------------------------------------------|-----------------|